

# What is dietary fibre and is it beneficial?

Last Updated: 05 August 2020

Dietary fibre is a group of compounds found in plants that cannot be fully digested in our gut. Fibre-rich foods such as fruits, vegetables and whole grains have been consistently shown to benefit our health and reduce our risk of disease. While the exact mechanism for these benefits is not fully understood, it is thought, at least in part, to be due to their fibre content. Here we discuss the definition of dietary fibre and the range of health benefits associated with its intake.

## What is dietary fibre?

Dietary fibre is not one specific compound, but a complex group of many compounds found in plant-based foods such as fruits, vegetables, whole grains, beans and pulses. Put simply, fibre can be defined as carbohydrates that cannot be fully digested in our gut.

There are generally four different groups of dietary fibres found in foods:

- 1. *Non-starch long carbohydrates* are structural parts of most fruits, vegetables, whole grains, pulses, beans, and nuts. They can be found in the form of for example cellulose, pectins and glucans. These make up the largest group of fibres and are found in a variety of concentrations.
- 2. Resistant mid-long carbohydrates such as *fructo-oligosaccharides* (FOS) and *galacto-oligosaccharides* (GOS). These are carbohydrates made up of less than 10 smaller sugar units. GOS is often found in seaweeds and FOS is found in vegetables such as chicory, onions, and asparagus.
- 3. *Resistant starch* is a form of starch that cannot be digested in the small intestine. It is found in foods such as bananas, potatoes, grains, pulses and seeds.
- 4. *Lignin* is an exception to the simple definition of fibre as it is technically not a carbohydrate but is considered a fibre. Lignin is found in root vegetables such as carrots and turnips as well as nuts and seeds.

## What are the health benefits of dietary fibre?

To understand why fibre is good for us, we need to know what happens during digestion. Our own digestive enzymes cannot cut the long fibre carbohydrate chains neither in the stomach, nor in the small intestine. So, the undigested fibre, mixed with pancreatic juices, travels to the colon as viscous bulk.

In the colon, fibre gets fermented by gut microbiota, which is the term given to the entire collection of microbes living in our intestine, producing short-chain fatty acids (SCFA) from the fermentation of dietary fibres. The most common SCFAs are acetate, propionate and butyrate. They protect our health by improving insulin sensitivity and ensuring lower levels of glucose and lipids in our bloodstream. Over the long term this might improve energy balance which indirectly protects against cardiovascular diseases, obesity and type 2 diabetes.  $^{2,3,4}$ 



## Constipation

Constipation can negatively impact someone's quality of life and increases the risk of colon cancer. Some fibres can absorb water in our colon, which helps give our stool bulk. This increased bulk allows our stool to move through our colon quicker, helping to relieve constipation. 5

### Cardiovascular diseases

A high fibre diet has been associated with a reduced risk of cardiovascular disease (CVD) and coronary heart disease, the benefit depends on the type of fibre. This is because viscous fibre forms a gel in the small intestine, which makes us feel full for longer. Moreover, short-chain fatty acids produced by gut microbiota are involved in the metabolism of carbohydrates and fats and therefore reduces spikes in blood glucose and lipid such as cholesterol after meals. They are used as an energy source by the cells in our colon and have a protective effect on our cardiovascular system. <sup>6.7.8</sup>

### Type 2 diabetes

High fibre diets are associated with a reduced risk of type 2 diabetes. In the small intestine, a viscous gel developed fibre that easily dissolves in water slows down the glucose and lipid absorption into the blood, resulting in more stable blood glucose levels.

#### Cancer

The fibre bulk travelling through the colon is thought to reduce the risk of pancreatic cancer<sup>10</sup> and colorectal cancer<sup>11,12</sup> by trapping bile acids and carcinogenic substances.

## Weight management

Fibre-rich diets make us feel fuller for longer periods after a meal. This means we consume less food, which could lead to a reduction in overweight and obesity. Fibre fermentation and its short-chain fatty acid production yield less energy than carbohydrates such as sugars and starch which may improve our body's energy balance. 6.8.13

#### Oral health

Dietary fibre is also good for our oral health. In the mouth, fibre-rich foods need longer chewing, which stimulates the production of saliva and cleanses our teeth. Not surprisingly, preventive effects on dental caries and dental erosion have been observed.<sup>14</sup>

### Gut health and the microbiome

Recent research on the gut microbiome indicates that fibre consumption directly influences the composition of bacteria and other microbes in our intestine. Gut microbiota ferments fibre and produce short-chain fatty acids, which can improve the functioning of our immune system, increase anti-inflammatory interactions in the gut, and regulate the overall body energy balance. 

13

### Mental health

The gut-brain axis, an interaction between the intestines and the brain, has recently received a lot of attention. The gut-brain interactions may affect emotional and cognitive processes, for instance through the short-chain fatty acids that play a role in mental health (for instance, in anxiety and depression). It is generally well established that the gut-brain interaction may also play a role in controlling satiety, mood, and weight. 4. 6. 13. 15

## Reminder: Eat more fibre

Dietary fibre is undeniably part of a healthy lifestyle. A somewhat unified dietary fibre definition has been created, health benefits are detected, and more detailed research on the full impact of fibre on our body is happening. Fibre-rich diets have a variety of health benefits, from preventing CVDs, type 2 diabetes, to improved gut health. Milder potential benefits have been associated with obesity and mental health. Without fibre, our body would be more prone to health risks.

The European Food Safety Authority (EFSA) has set a recommended daily intake on dietary fibre. Based

on the available evidence on bowel function and for the prevention of non-communicable diseases such as type 2 diabetes, colorectal cancer, cardiovascular diseases or of overweight and obesity, they recommend a daily intake of 25 g of dietary fibre for adults. In children from the age of one year, the recommended amount varies according to the energy requirements of different age groups (about 2 g of dietary fibre per 240 kcal).<sup>16</sup>

## 5 Tips to increase your fibre intake

Fibre has more than one health benefit, it impacts the whole body and mind. So, why not opt for a fibre-rich option every day? It's not complicated:

- 1. choose whole grain over refined grain products
- 2. add vegetables to every meal
- 3. go for beans and pulses as meat alternatives
- 4. opt for fruit snacks
- 5. snack on nuts and seeds in between meals

Before you know it, these small choices can become habits. Give it a try! Let a diet full of fibre pave the way to a healthier life.



#### References

- 1. Stephen AM, Champ MM, Cloran SJ, Fleith M, Van Lieshout, L, Mejborn H et al. (2017) Dietary fibre in Europe: Current state of knowledge on definitions, sources, recommendations, intakes and relationships to health. Nutr. Res. Rev. 30 (2):149-90
- 2. Capuano E (2017). The behavior of dietary fiber in the gastrointestinal tract determines its

- physiological effect. Critical Reviews in Food Science and Nutrition 57:16, 3543-64
- 3. European Commission (2019). Food-Based Dietary Guidelines in Europe.
- 4. Dalile B, Van Oudenhove L, Vervliet B, and Verbeke K (2019). The role of short-chain fatty acids in microbiota-gut-brain communication. Nature Reviews Gastroenterology and Hepatology 16, 461-78
- 5. Yang J, Wang HP, Zhou L & Xu CF (2012). Effect of dietary fibre on constipation: a meta-analysis. World journal of gastroenterology 18 (48):7378–83
- 6. Sanz Y, Romani-Perez M, Benítez-Páez A, Portune K, Brigidi P, Rampelli S, Dinan T et al (2018). Towards microbiome-informed dietary recommendations for promoting metabolic and mental health: Opinion papers of the MyNewGut project. Clinical Nutrition 37: 21
- 7. Threapleton D, Greenwood D, Evens C, Cleghorn C, Nykjaer C, Woodhead C et al (2013). Dietary fibre intake and risk of cardiovascular disease: systematic review and meta-analysis. BMJ 347: f6879
- 8. Chambers E, Preston T, Morrison D et al (2018). Role of Gut Microbiota-Generated Short-Chain Fatty Acids in Metabolic and Cardiovascular Health. Curr Nutr Rep 7(4): 198-206
- 9. Weickert M, Pfeiffer A (2008). Metabolic Effects of Dietary Fiber Consumption and Prevention of Diabetes. The Journal of Nutrition 138(3): 439-42.
- 10. Veronese N, Solmi M, Caruso MG, et al. (2018) Dietary fibre and health outcomes: an umbrella review of systematic reviews and meta-analyses. Am J Clin Nutr 107:436-44
- 11. World cancer research fund (2018). Recommendations and public health and policy implications.
- 12. Buyken AE, Dussort DJM, Johnson IT, Macdonald IA, Stowell JD, Brouns FJPH. (2017) Dietary carbohydrates: a review of international recommendations and the methods used to derive them. Eur J Clin Nutr.
- 13. Shortt C, Hasselwander O, Meynier A et al. (2018) Systematic review of the effects of the intestinal microbiota on selected nutrients and non-nutrients. Eur J Nutr 57 (1):52-49
- 14. Coogan MM, MacKeown JM, Galpin JS, Fatti LP. (2008) Microbiological impressions of teeth, saliva and dietary fibre can predict caries activity Journal of Dentistry 36 (11):892-899
- 15. Codagnone MG et al. (2019). Programming Bugs: Microbiota and the Developmental Origins of Brain Health and Disease. Biological psychiatry 85 (2):150-163
- 16. Agostoni, C. V., Bresson, J. L., Fairweather Tait, S., Flynn, A., Golly, I., Korhonen, H., ... & Verhagen, H. (2010). Scientific opinion on dietary reference values for carbohydrates and dietary fibre. EFSA journal, 8(3).